

Premises Licence Leeds City Council

Licence Issued By:

On: 3rd September 2005

N
25

Jackson.

Nicole Jackson

Assistant Chief Executive (Corporate Governance)

[Handwritten Signature] 04/02/09

Premises Licence Number

PREM/01703

Part 1 – Premises Details

Postal address of premises, or if none, ordnance survey map reference or description, including Post Town, Post Code

Tommy Wass
450 Dewsbury Road
Hunslet
Leeds
LS11 7LJ


Telephone number 0113 2700709

Where the licence is time limited the dates

N/A

Licensable activities authorised by the licence

Performance of Live Music
Performance of Recorded Music
Sale by Retail of Alcohol



Times the licence authorises the carrying out of licensable activities

Performance of Live Music

Monday to Saturday 08:00 - 23:00
Sunday 08:00 - 22:30

Performance of Recorded Music

Every Day 00:00 - 23:59

Sale by Retail of Alcohol

Monday to Saturday 11:00 - 23:00
Sunday 12:00 - 22:30


The opening hours of the premises

The hours of licensable activities for the premises are as above. There are no regulated opening hours for non-licensable activities.

Where the licence authorises supplies of alcohol whether these are on and / or off supplies

Alcohol is supplied for consumption both on and off the Premises

Name, (registered) address of holder of premises licence



Registered number of holder, for example company number, charity number (where applicable)

Registered Business Number 06769744

Name of designated premises supervisor where the premises licence authorises for the supply of alcohol



State whether access to the premises by children is restricted or prohibited

None



Times the licence authorises the carrying out of licensable activities

Performance of Live Music

Monday to Saturday 08:00 - 23:00
Sunday 08:00 - 22:30

Performance of Recorded Music

Every Day 00:00 - 23:59

Sale by Retail of Alcohol

Monday to Saturday 11:00 - 23:00
Sunday 12:00 - 22:30

The opening hours of the premises

The hours of licensable activities for the premises are as above. There are no regulated opening hours for non-licensable activities.

Where the licence authorises supplies of alcohol whether these are on and / or off supplies

Alcohol is supplied for consumption both on and off the Premises

Name, (registered) address, telephone number and email (where relevant) of holder of premises licence




Registered number of holder, for example company number, charity number (where applicable)

Registered Business Number



Name, address and telephone number of designated premises supervisor where the premises licence authorises for the supply of alcohol



Personal licence number and issuing authority of personal licence held by designated premises supervisor where the premises licence authorises for the supply of alcohol




Licensing Authority: Wakefield Metropolitan District Council



**Schedule 12
Part A**

Premises Licence Leeds City Council

Licence Issued By:	On: 3rd September 2005
 N 25 Jackson Nicole Jackson Assistant Chief Executive (Corporate Governance)	

Premises Licence Number

PREM/01703

Part 1 – Premises Details

Postal address of premises, or if none, ordnance survey map reference or description, including Post Town, Post Code

Tommy Wass
450 Dewsbury Road
Hunslet
Leeds
LS11 7LJ

Telephone number 0113 2700709

Where the licence is time limited the dates

N/A

Licensable activities authorised by the licence

Performance of Live Music
Performance of Recorded Music
Sale by Retail of Alcohol

Annex 1 – Mandatory conditions

Mandatory Conditions imposed under the Licensing Act 2003

Only individuals licensed by the Security Industry Authority may be used at the premises to guard against:-

- a. unauthorised access or occupation (e.g. through door supervision), or
- b. outbreaks of disorder, or
- c. damage

No supply of alcohol may be made under this licence

- a. At a time when there is no designated premises supervisor
- b. At a time when the designated premises supervisor does not hold a personal licence or his personal licence is suspended

Every supply of alcohol under the premises licence must be made or authorised by a person who holds a personal licence

Embedded Restrictions

Alcohol shall not be sold or supplied except during the hours stated on this licence and:

- a. On Christmas Day, 12 noon to 3 p.m and 7 p.m to 10.30 p.m.
- b. On New Year's Eve from the end of permitted hours on New Year's Eve to the start of permitted hours on the following day (or, if there are no permitted hours on the following day, midnight on 31st December).

The above restrictions do not prohibit:

the taking of the alcohol from the premises, (unless the alcohol is supplied or taken in an open vessel,) during the first thirty minutes after above hours;

the consumption of the alcohol on the premises by persons taking meals there during the first thirty minutes after the above hours, if the alcohol was supplied for consumption ancillary to those meals.

consumption of the alcohol on the premises by, or, the taking, sale or supply of alcohol to any person residing in the licensed premises;

the ordering of alcohol to be consumed off the premises, or the despatch by the vendor of the alcohol so ordered;

the sale of alcohol to a trader or club for the purposes of the trade or club;

the sale or supply of alcohol to any canteen or mess, being a canteen in which the sale or supply of alcohol is carried out under the authority of the Secretary of State or an authorised mess of members of Her Majesty's Naval, Military or air forces;

the taking of alcohol from the premises by a person residing there; or

the supply of alcohol for consumption on the premises to any private friends of a person residing there who are bona fide entertained by him at his own expense, or the consumption of alcohol by persons so supplied;

the supply of alcohol for consumption on the premises to persons employed there for the purposes of the business carried on by the holder of the licence, or the consumption of liquor so supplied, if the liquor is

supplied at the expense of their employer or of the person carrying on or in charge of the business on the premises.

Where the number of children attending the entertainment exceeds 100 the licensee shall ensure that the provisions of Section 12 of the Children and Young Persons Act 1933 are complied with.

Embedded terms and conditions in respect of Public Entertainment Licence

GENERAL

1. Throughout all parts of these conditions the phrase 'Licensing Authority' means the Leeds City Council.
- 2a) Unless the hours for which the Licence is valid are expressly stated on the Licence there shall be no performance of any nature before 8.00 am or after 11.00pm on any day of the week including Saturdays, or after 10.30pm Sundays, without the prior consent of the Licensing Authority.
- b) There shall be no dancing or performance including dancing on any day appointed by Public Authority as a day of public mourning.
3. The Chief Constable of the West Yorkshire Police, any Police Officer, the Chief Fire Officer, any authorised officer in uniform of the West Yorkshire Fire Authority, any authorised Environmental Health Officer and their equipment and any other person authorised by the Licensing Authority shall have free access to all parts of the licensed premises at all reasonable times for the purpose of supervising the observance and enforcement of these conditions.
4. There shall be affixed and kept in a conspicuous place on the door or entrance of the premises an inscription in large capital letters the words as follows:

"LICENSED PURSUANT TO ACT OF PARLIAMENT FOR MUSIC AND DANCING"

(NB: Omit 'Dancing' if Licence issued for public music only)

MANAGEMENT OF PREMISES

5. The Licensee shall be responsible for carrying out the provisions of these Conditions of the Licence. The Licensee shall take due precautions for the safety of the public, employees and performers, shall retain control over all areas of the licensed premises and shall ensure that nothing shall take place on the premises which:
 - a) is likely to cause disorder or breach of the peace;
 - b) is likely to be grossly offensive to any person on the premises;
 - c) involves drugs misuse; or
 - d) involves any other unlawful activity.
6. The Licensee, or some other responsible person not less than eighteen years of age *and nominated in writing for the purpose, shall be in charge of, and remain upon the licensed premises whenever they are used for licensed purposes. They shall not be engaged in any duties which prevent them from exercising general supervision and control.
7. Any written nomination of management shall be served on the Licensing Authority and a copy of the same shall also be retained on the premises and kept available for immediate inspection by any Official of the Licensing, Police or Fire Authority.

8. 'The Licensee shall provide notice of his or her Intention to provide any form of entertainment which Includes lap dancing, pole dancing, table dancing, striptease or any form of nudity or semi nudity on the part of the performers or the staff employed on the premises. Any entertainment of this nature will be subject to additional standard special conditions of the licence'.
9. The person in charge shall be conversant with all licence conditions.

REGISTER OF EXTERNAL PROMOTERS

10. Any venue which accommodates external promoters shall maintain a register or a diary system to record all such events. Each entry should contain the specific date of the event, nature/title of the event and the name, address and contact telephone number of the promoter specific to that event. The register must be available for immediate inspection on request by any Official of the Licensing Authority or it's authorised agents

Public Safety

OCCUPANCY

11. The Licensee shall not permit persons in excess of the number referred to on this licence to enter or occupy any portion of the licensed premises.
12. The Licensee shall ensure that staff are familiar with the maximum capacity of the premises.
13. The Licensee shall display notice containing details as to the maximum capacity figure in a prominent position upon entry to the premises. Where the capacity is divided into separate floors/areas within the premises notice of the appropriate capacity for each floor/area shall also be prominently displayed upon entry to the relevant floor/area.
14. The licensee shall at any time whilst the premises are in use be aware of the precise number of patrons on the premises. Where the licence covers different floors/areas, the licensee shall be aware of the number of patrons in each area at any given time and ensure that the numbers do not exceed those as stipulated on the licence. This information shall immediately be supplied on request to any Official of the Licensing, Police or Fire Authority.
15. Appropriately trained staff shall be provided to oversee general safety within the premises, and these shall be provided to a minimum number of one member of staff per 250 occupancy or part thereof, in accordance with the occupancy figure as stated on the Public Entertainment Licence.

Furthermore, in addition to the above the licensee shall ensure that an appropriately trained member of staff is designated to each emergency exit door to assist in the event of an emergency evacuation.

16. All members of staff shall be instructed in the safety precautions to be observed in the premises as far as those precautions relate to their duties and to the action to be taken by them in the event of fire or emergency.

EXITS

17. All exits, passages, landings and stairways shall be kept free from obstruction at all times when the premises are used for licensed purposes.
18. A clear unobstructed route leading from each fire exit to a place of safety outside the premises shall be provided and maintained available for use at all times.

19. Every door in the building for use by members of the public going from the auditorium to the outside of the building shall open outwards, unless the Licensing Authority shall have been satisfied that this is impracticable to the circumstances of the particular case, and shall be capable of being opened easily and immediately from the inside, without the use of a key, when required.
20. Where, with the prior consent of the Licensing Authority, doors or gates across exits open inwards, they shall be fastened fully opened so as not to form an obstruction.
21. If security is required for outward opening fire exit doors, then they should be secured with panic bolt or panic latch type fastenings only to the satisfaction of the Licensing and Fire Authority. A conspicuous 'PUSH BAR TO OPEN' sign should be provided immediately above the push bars.
22. Any removable fastenings permitted by the Licensing or Fire Authority for securing exit doors when the public are not on the premises shall be removed before the public are admitted to the premises and shall not be replaced until the public have vacated the building.
23. Illuminated fire exit sign boxes lit by both primary and emergency lighting should be provided above all exits. Illuminated boxes incorporating graphic fire exit symbols, e.g. man moving through open door, should have white symbols on a green background. The size of the exit boxes should be appropriate for the maximum viewing distances involved.
24. Doors and openings other than exits to or from parts of the licensed premises to which the public are admitted shall be provided with notices indicating their uses or shall be marked "Private", and wherever practicable shall be kept secured. Where exit doors are fitted with automatic bolts they shall be clearly indicated with the words "PUSH BAR TO OPEN".
25. Where curtains are provided across an exit doorway they shall be divided at the centre and shall not trail the floor.
26. Except with the consent of the Licensing Authority, bars, wire guards or the like shall not be fitted to windows, nor shall the windows be otherwise obstructed in a manner likely to render them unavailable for the purposes of rescue in case of emergency.
27. The closing of collapsible gates or shutters across exit openings shall be prohibited whilst the public are in the premises.

FIRE PRECAUTIONS

28. The licensed premises shall be provided with fire appliances suitable to the fire risk in the premises and to the satisfaction of the Fire Authority.
29. Fire appliances shall be affixed to wall brackets to the satisfaction of the Fire Authority, and available for instant use at all times.
30. Fire extinguishers should be regularly examined, tested and maintained in accordance with the current British Standard to the satisfaction of the Fire Authority.
31. The licensee and employees should be made fully conversant with the location of fire appliances, method of operation and safe use, and with the action to be taken in case of fire.
32. A manually operated electrical fire alarm system shall be provided to the satisfaction of the Fire Authority. The alarm should be clearly audible in all parts of the building.
33. The Fire alarm system should be tested on a weekly basis in accordance with the current British Standard and to the satisfaction of the Fire Authority. The result of all tests with the exception of the daily inspection, should be recorded in a suitable log book provided for the purpose. The log book

should be available for immediate inspection upon request of any official of the Licensing or Fire Authority.

34. The licensee and all employees should be made familiar with the method of giving warning of fire and with the escape route available from each part of the premises to which they resort or in which they may work.
35. All fire doors shall be maintained self-closing and shall not be secured in an open position.
36. A system for automatically cutting off the sound system which is linked to the sounding of the fire alarm shall be provided.
37. All scenery, drapes, curtains and decorations within the licensed premises shall be made of such material or shall be treated and maintained so as to be flame retardant in accordance with the current British Standard and to the satisfaction of the Fire Authority.
38. Plastic decorations are not acceptable.
39. Filling materials used in furnishings should be restricted to combustion modified foam or other materials having at least the same standard of fire performance. Upholstered furniture and floor coverings should comply with the current British Standard to the satisfaction of the Fire Authority.
40. Flues from kitchens and serveries and over grills and all ventilating shafts shall be maintained in a clean condition.
41. Smoking shall be strictly prohibited within the stage risk area and in dressing rooms. Notices bearing the words "NO SMOKING" in red letters on a white background shall be conspicuously displayed in these areas.
42. Where any open fireplaces, high temperature heating appliances or naked flames are used they shall be adequately protected by a suitable guard.
43. In the event of the heating being by a central heating system the heating apparatus shall be placed in a separate room from the auditorium. The door between this room and the auditorium should be self-closing and fire-resistant to a one hour standard.
44. Explosives, inflammable liquids or high inflammable articles shall not be brought into or used within any portion of the licensed premises.

SPECIAL EFFECTS:

Pyrotechnics:

45. No exhibition, demonstration or display of pyrotechnics or displays involving the use of fire shall be given in the licensed premises without the prior consent of the Licensing and Fire Authority. At least fourteen days written notice of application must be supplied in such circumstances.

Laser Equipment:

46. No exhibition, demonstration or display of laser equipment shall be given by any person in the licensed premises and no laser equipment shall be used by such person in the said premises unless the Director of the Leeds Environment Department has been given not less than 14 days previous written notice.

Strobe Lighting:

47. At entrances to venues where strobe lighting is in use warnings should be posted that stroboscopic lighting is in use and the possibility that susceptible people may be affected.
48. Flicker rates from stroboscopic lighting should be set at 4 or less flickers per second. This frequency shall apply to the combined flicker rates on any group of lights which can be directly gazed at.

LIGHTING

49. In all parts of the building to which the public are admitted and in all passages, corridors, ramps and stairways to which the public have access and which lead from the auditorium to the outside of the building, there shall be provided adequate illumination by general lighting to the satisfaction of the Licensing Authority.
50. In addition to the general lighting, adequate illumination to enable the public to see their way out of the building, without the assistance of the general lighting, shall be provided in the auditorium and all other parts of the building to which the public are admitted and in all passages, corridors, ramps and stairways, which lead from the auditorium to the outside of the building. This lighting shall be referred to as the safety lighting.
51. The safety lighting shall be provided from a source other than that of the general lighting.
52. All notices and exit indications shall be illuminated by both general and safety lighting.
53. The safety lighting shall be kept on at all times when the public are on the premises except in those parts of the building which are lit equally well by daylight.
54. Any battery supplying safety lighting shall be fully charged before the public are admitted to the premises and shall be of such capacity and so maintained as to be capable of supplying at normal voltage, the full load of the safety lighting during the whole time that the public are on the premises.
55. If there is a failure of the general lighting and the lighting is not restored within one hour, the public in the licensed premises shall be instructed to leave the building.
56. If there is a failure of the safety lighting, all parts of the building required to be illuminated by the safety lighting shall be immediately illuminated by the general lighting and the public in the licensed premises shall be instructed to leave the building forthwith.
57. Electrical apparatus and equipment within the building shall not be used for such purpose, or in such a manner, or when it is such a condition, as to cause danger of electric shock, fire or explosion.
58. Where gas is used for the lighting all gas burners within reach of the public shall be protected by glass or wire gloves and all gas taps shall be guarded in such a manner as to prevent unauthorised interference.

ELECTRICAL INSTALLATION

59. Electrical installation (including the fire alarm and emergency lighting systems) shall be in the charge of a competent electrician whose name is published on the Roll of National Inspection Council for Electrical Installation Contracting, or a member of Electrical Contractors' Association.
60. One of the following protective measures shall be used for all socket-outlets which may be used for the connection for lighting, video or sound amplification equipment and display models:

- a) Each socket-outlet circuit shall be protected by a residual current device having a rated residual operating current not exceeding 30mA.
- or
- b) Each individual socket-outlet shall be protected by an integral residual current device having a rated residual operating current not exceeding 30mA.

The current operation of all residual current devices shall be checked regularly by pressing the test button. If the device does not switch off the supply, an electrical contractor should be consulted. At the same time action should be taken to prohibit the use of socket outlets associated with a faulty residual current device.

ELECTRICAL SAFETY CERTIFICATE

- 61. The Licensee shall ensure that the electrical installation to the whole of the premises carries a recent safety certificate issued by a competent electrician whose name is published on the Roll of National Inspection Council for Electrical Installation Contracting, or a member of the Electrical Contractors' Association.

The inspection shall include ALL electrical appliances and fire alarm and emergency lighting systems.

The licensee shall ensure that the electrical installation is checked on an annual basis and on renewal of the Public Entertainment Licence shall furnish the Licensing Authority with a copy of an Electrical Safety Certificate valid for the period of the licence.

SANITATION/CLEANSING

- 62. Suitable and sufficient sanitary accommodation must be provided and maintained to the satisfaction of the Chief Environmental Health Officer.
- 63. The premises shall at all times be maintained in a clean, sanitary and safe condition and shall be open during the continuance of this licence to an inspection by the Licensing Authority or their authorised agents.

SEATING

- 64. Any seating in the licensed premises shall be so arranged as to allow free access to all exits therefrom.
- 65. For a closely seated audience chairs shall be either securely fixed to the floor or alternatively shall be battened securely together in units of not less than four seats. Adequate gangways, not less than 42" (1100mm) wide, unless otherwise approved by the Licensing Authority, shall be provided. The gangways shall lead directly to each exit door and shall be kept free from obstruction. No seat shall be more than twelve feet (4.0m) from any gangway.
- 66. Seating in invalid chairs other than engine driven chairs will be permitted subject to any condition imposed by the Licensing and Fire Authority.

ACCESS, EGRESS AND FACILITIES FOR THE DISABLED

- 67. Means of access, egress and emergency egress shall be provided and maintained in accordance with any recommendations of the Licensing and Fire Authority.

ALTERATIONS

- 68. Alterations or additions, whether permanent or temporary, to the structure, the lighting, electrical heating, ventilating, mechanical, or installations, or to the seating, gangways or other arrangements in

building in which the licensed premises are situated shall not be made except with the consent of the Licensing Authority and in accordance with any conditions of such consent.

FIRST AID FACILITIES

69. The Licensee shall maintain a first aid box on the premises in accordance with the Health and Safety (First Aid) Regulations 1981 and make sure that:

it is accessible at all times
items are replaced as they are used

Any person who appears unwell, including those affected by drugs or alcohol, must be seen by a trained first aider, who shall:

give first aid
if necessary, seek medical assistance.

INCIDENT REPORT REGISTER

70. The licensee shall maintain an Incident Report Register within which staff must record any incident which has occurred on the premises.

The Incident Report Register must be retained on the premises for a period of one year, taken from the date of the last entry, and include the following:

- a) consecutively numbered pages;
- b) the date and time of incident;
- c) the nature of incident;
- d) the full name/s of staff involved including the registration number of any door staff, and to whom the incident was reported, including the names and numbers of any police officers who attended the scene of the incident and details of any witness/es;
- e) Any notes relative to the incident.

Incident Report Registers shall be produced for immediate inspection on request by any Official of the Licensing or Police Authority.

VENTILATION

71. The premises must be effectively ventilated when the public are present. Any mechanical ventilation system must be properly maintained.

DRINKING WATER

72. Drinking water provision must be clearly available, free of charge, at all times whilst the Entertainment Licence is operative.

This facility must be kept in a clean condition.

HYPNOTISM

73. No exhibition, demonstration or performance of hypnotism shall be given on any person in the premises except with the express consent of the Licensing Authority and subject to such conditions as the Licensing Authority may attach to such consent.
Any notification of intention to stage a hypnotist should be made in writing providing at least fourteen days notice.

Prevention of Public Nuisance

NOISE NUISANCE

74. The Licensee shall ensure that no nuisance is caused by noise or vibration emanating from the licensed premises resulting from the use of this Licence. The Licensee shall provide urgent attention to any reports of noise nuisance, and act upon direction of the Licensing Authority.

FLYPOSTING

75. Licensees are reminded that unauthorised flyposting is an offence under the Town & Country Planning Act 1990, as amended, Section 224.

Protection of Children from harm

76. In the case of an audience consisting of persons under 16 years of age, the minimum number of staff shall increase to a ratio of one per 100 occupancy.
77. At any licensed function no child shall be permitted to occupy any seat in the front row of the balcony, gallery or tier unless accompanied by, or in the charge of a person who appears to have attained the age of 16 years.

Prevention of Crime and Disorder

REGISTERED DOOR STAFF

78. The Licensee shall ensure that any persons employed on the premises to work in the capacity as a door supervisor, hold current registration with the SIA and comply with all relevant rules and regulations laid down by that body.
79. Door Staff Daily Record Register

The Licensee shall maintain a Daily Record Register which is to be completed on a daily basis by the door staff when they commence and finish duty.

The Daily Record Register must be retained on the premises for a period of one year, taken from the date of the last entry, and include the following:

- a) consecutively number pages;
- b) the registration number and full name of each registered person on duty;
- c) the date and time that he/she commenced that period of duty with a signed acknowledgement by that person;
- d) the time at which he/she finished duty with a signed acknowledgement by that person.

Daily Record Registers shall be produced for immediate inspection on request by any official of the SIA, Police or Licensing Authority.

SEARCH POLICIES

80. Licence holders must have a written search policy for those entering the premises.

All members of staff must be acquainted with this policy.

81. Sufficient number of staff of both sexes shall be on duty to undertake any searches of the public.

82. Clear and visible notices should be displayed to those entering the premises detailing the establishments search policy. These signs should state that the police will be informed if anyone is found in possession of controlled substances or weapons.

83. Secure receptacles, to the standard as required by the West Yorkshire Police, must be provided in a restricted part of the building for staff to deposit drugs and weapons.

84. Any seizure of controlled substances and weapons must be recorded in the Incident Report Register and reported to the police at the earliest possible time.

GLASS RECEPTACLES

85. The licensee shall ensure that drinks glasses and any other glass receptacles are prevented from being taken off the premises accepting off-sales and their legitimate sale.

CLOSE CIRCUIT TELEVISION (CCTV)

86. A suitable CCTV system operated in accordance with guidelines from the West Yorkshire Police shall be provided.

87. Any exemption to this condition must be agreed by the West Yorkshire Police and Licensing Authority.

LEEDS NIGHTWATCH SAFER CITY INITIATIVE

88. All venues located within the Millgarth Division of the West Yorkshire Police which have the benefit of a Special Hours Certificate shall be a member of the Leeds Nightwatch Safer City Initiative. Each venue will operate with the benefit of a radio supplied through the L.N.S.C.I and will adhere to the operating rules and guidelines laid down within the scheme.

The maximum number of persons allowed in the **Lounge** whilst the Licence is in force is: **200**

Annex 2 – Conditions consistent with the Operating Schedule

N/A

Annex 3 – Conditions attached after a hearing by the licensing authority

N/A

Annex 4 – Plans

The plans for these premises are as those submitted with the application. A copy of which is held by Leeds City Council Licensing Authority.